

AVS personer, certificerede

Certifikat	Navn	Udstedt	Udløb	Certificeret efter
CKB01001	John Molbo	30-10-2014	30-10-2019	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01002	Lars Kjølby	30-10-2014	30-10-2019	DBI Retningslinie 251/4001 CEA 4001 (2006)
CKB01010	Finn Spanggaard	22-01-2015	22-01-2020	DBI Retningslinie 251/4001 CEA 4001 (2006)
CKB01011	Henrik Frigaard	17-11-2014	30-10-2019	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01014	Lars Jacobsen Hasager	30-10-2014	30-10-2019	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01016	Freddy Raeder	30-10-2014	30-10-2019	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01018	Aksel Frandsen	30-10-2014	30-10-2019	DBI Retningslinie 251/4001 CEA 4001 (2066)
CKB01019	Henrik Petersen	30-10-2014	30-10-2019	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01021	Anders Sindal Kjøge	30-10-2014	30-10-2019	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01022	Nikolaj Bagge	21-08-2014	13-08-2019	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01023	Henrik Flindtholt	18-08-2014	18-08-2019	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01025	Jacob Hoppe	30-10-2014	30-10-2019	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01029	Peiman Moadeli	19-03-2014	19-03-2019	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01030	Kim Lemke Nielsen	12-10-2017	12-10-2022	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01032	Torfi Thorkell Torfason	07-04-2016	30-10-2020	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01034	Karsten Schmidt Jørgensen	27-01-2017	27-01-2022	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01035	Gert Mølgaard	19-03-2014	19-03-2019	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01038	Jimmi Mejlvang Nielsen	12-06-2015	12-06-2020	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01040	Michael Stephan	11-12-2015	11-12-2020	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01041	Henrik Rasmussen	04-05-2016	04-05-2021	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01043	Henrik Bloch	15-11-2016	15-11-2021	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01044	René Therkelsen	12-10-2017	12-10-2022	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01047	Preben A. Christensen	01-02-2017	01-02-2022	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01048	Jacob Kongensgaard Andersen	12-10-2017	12-10-2022	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01051	Jens Dal	05-11-2019	05-11-2023	DBI Retningslinie 251/4001 CEA 4001 (2016)
CKB01052	Jon Nørring Boisen	30-10-2018	30-10-2023	DBI Retningslinie 251/4001 CEA 4001 (2016)